



# Tubex Easywrap 65 (EasyWrap) Introduction

spirals, delivering herbicide and rabbit protection.

Consisting of a twin wall with a vertical split, creating a natural overlap, the Easywrap 65 are made of recyclable polypropylene (not PVC).

Easywrap 65 are a cost effective and more rigid alternative to

Delivered in nests of two wraps – 50mm (expanding to 65mm) and 65mm (expanding to 80mm), they are both easy to move around a planting scheme and easy to install.

Easywrap 65 are best suited to slender plants or whips, and can be successfully used for hedging and more open planting applications.

They retain their shape and expand as the plant grows. At the end of their useful life (typically 3 to 5 years) their design means they can easily be removed for recycling.

The microclimate they create is conducive to better growth. This, combined with the rabbit and hare protection they offer (depending on the height chosen), means they can help deliver better survival rates.

#### **Benefits**

- Helps protects from voles, rabbits and hares (depending on height chosen)
- Protects from herbicide spray
- Easy installation and removal
- Can be recycled

### Installation

Service Life

- Plant your whip.
- Push a cane into the ground next to the whip.
- Separate an Easywrap from the nest of 2.
- Slot the Easywrap 65 over both the plant and the cane, ensuring the wrap touches the ground.
- Note: On exceptionally windy sites we recommend using a Tubex Ecostart with a square sawn stake, rather than the Easywrap 65.
- Plan for removal and recycling at end of life once the plant is established.
- See installation diagrams (pg 4) for more information.









### **Specifications:**

-  -	
Dimensions	
Height m*	
Diameter mm	
Number of cable ties	
Average weight/tube g	
Packaging	
Nest	
Bundle	
Bag or strap banded	
Material	
Tube	
Cable tie	
Tube colour	
* Manufacturing tolerance of uran height 44-10mm	

Tubex Ea	sywraps 65				
0.6	0.75				
50-65mm	50-65mm				
Not required	Not required				
44	69				
Tubex Ea	sywraps 65				
2					
150					
Bag					
Tubex Easywraps 65					
Polypr	opylene				
I	na				
Gr	een				

Service life (tube)	3+ years
Biodegradable	No
End of life	Remove for
Recyclable	Yes.
Recycling options	Use a loca 'Plastic' (0
	Or contac & Recyclin Or use a s
Recommended support	90cm can

	Tubex Easywraps 65
3+ years	
No	
Remove for re	cycling.
Yes.	
Use a local Re 'Plastic' (Code	ecycling Centre and the bin for e 5 PP).
Or contact Tu & Recycling so	bex for details of their Collection cheme.
Or use a simil	ar agricultural recycling service.
90cm cane (o	r 120cm if light, sandy soil).

## Tubex Easywrap 65 (EasyWrap) Features & Benefits

### **Plant Welfare**



**Animal protection** Protects young plants from bark-stripping and browsing animals.

## Lifespan



**Lower UV** stabilisation\* Provides minimum 3 years protection.

\* Compared to other Tubex.

## Installation



Nested For ease of movement around site.



Herbicide protection The wrap protects from herbicide spray.



Twin walled Delivers best strength to weight ratio.



**Green colour** Blends into background.



Light transmission Creates a mini greenhouse effect. encouraging growth.



Recyclable Through local supplier or via the *Tubex Collection* & Recycling Scheme.



**Expanding wrap** The wrap 'expands' with the tree, allowing it to easily release itself.



Tubex Easywrap 65 0.60m Bag of 150 nested tubes



Tubex Easywrap 65 0.75m Bag of 150 nested tubes






1.80m

## Tubex Easywrap 65 (EasyWrap) Range Choices

Identify which damaging agent (animal) you wish to protect your plants from.

This will influence the height of your protection and the cane to support it.

Depending on the height selected, Easywrap 65 can help protect against voles, rabbits and hare.



Protecting against	Vole	Rabbit	Hare	Muntjac / Roe Deer	Fallow Deer	Red Deer
Minimum height of tube for protection	20cm	60cm	75cm	1.20m	1.50m	1.80m
Height of supporting cane*	Not required	75cm	90cm	1.20m or 1.35m	1.50m	1.80m
Diameter Type	NA	Standard	Standard	Standard or Standard plus	Standard Plus	Standard Plus

<sup>\*</sup> It is advisable to use a longer cane for sandier, lighter soils.

Tubex Easywrap 65
Available Sizes




## **Diameter Types**

Easywrap 65 are nested in 2's (one inside the other), to save space and time when moving plant protection around a site.

Within one nest of two wraps you will find a 50mm diameter and a 65mm diameter wrap.

These narrow diameters make them most suitable for young, slender plants.





BHT make every attempt to ensure the information given in this guide is accurate, however it is provided as a guide only and BHT can accept no liability for its use or suitability.

© British Hardwood Tree Nursery



## Tubex Easywrap 65 (EasyWrap) Installation

4/4


#### **PLANT**


Planting bare root or cell grown plants is a straightforward task, however, do not attempt to plant if the ground is frozen or waterlogged. Find a suitable position for your plants, bearing in mind future growth and potential height and spread at maturity.

Bare rooted or cell grown plants can be 'notch' planted in 3 steps (Fig A):

- Begin by inserting the blade of a spade into the ground. Push the spade handle away from you and then bring it back towards you. Once you remove the spade, you will see that you have created a cavity or 'notch' in the ground.
- 2. For bare root place the plant roots within the cavity and shake to ensure that all of the roots are in the cavity and pointing downwards. For cell grown place the cell gently into the ground. Ensure the top of the plug (the soil surrounding the roots) is positioned at 2 to 4cm below the surface to avoid drying out.
- 3. Fill the cavity with soil. Use your heel to firm the soil around the plant to remove any air pockets. Once planted, give them a good water if practical to do so.

You are now ready to install your support and protection.






*Tip*: Stand the Easywrap 65 next to the plant whilst you are knocking in the cane to see how far to insert it.

#### SUPPORT

- After planting, position the cane on the windward side between 2cm to 5cm from the base of the plant if there are strong prevailing winds. This means the cane will hold the Easywrap 65 up rather than the plant (Fig B).
- 2. Push or hammer the cane into the ground with a stake driver or mallet (ideally knocking 1/3 of its height into the ground). Ensure it is vertical (particularly important on sloping ground). The top of the cane should be above the top rim of the Easywrap 65.




Tip: The supporting cane should be at least 1/3 taller than the height of the wrap. For example, use a 90cm cane for a 60cm Easywrap 65.

This ensures there is support high enough up the Easywrap 65 after the cane has been inserted into the ground.

### **PROTECT**

- 1. Position the Easywrap 65 over the tree and the cane (Fig C), making sure not to damage any lateral branches.
- 2. Push the Easywrap 65 into the ground 1cm to 2cm. This forms a safe herbicide barrier and deters vermin from burrowing under the shelter.



e every attempt to ensure the information given in this guide is accurate, however it is provided as a guide only and BHT can accept no liability for its use or suitability.

© British Hardwood Tree Nursery